
WOVEN**FLOORING**BY DICKSON







WOVEN**FLOORING**BY DICKSON

The Dickson Woven Flooring collection stands for expertise and attractive, innovative designs. Priding ourselves on our workmanship, we're convinced of the benefits of innovation and continuously drive the performance of our products.

Our Research & Development team achieves both simple, incremental improvements and revolutionary advances to best meet your needs. The launch today of our CleanGuard - Integrated Protection technology - a new technically advanced product arriving at a critical juncture on the highly demanding woven flooring market - is one such example.

Pioneers of optimal protection, we're proud of our teams who have worked tirelessly for the last three years to bring you this varnish, allowing you to enjoy your product with confidence. Besides its acoustic insulation properties, dimensional stability and clean cut, Dickson woven flooring is now even easier to maintain, and this is just the beginning...

CONTENTS

CleanGuard : integrated protection varnish	4
The properties of our woven flooring	6
Environmental commitments	12
Design approach	. 14
Our ranges	16
Available formats	26
Floor configurator	27
Collection overview	28
Technical factsheet	30

INNOVATION DICKSON: INTEGRATED VARNISH PIONEER

WOVEN FLOORING THAT'S MORE **DIRT RESISTANT & EASIER TO CLEAN**

The CleanGuard technology adds a varnished overlay to the woven surface, delaying its soiling while enhancing its stain resistance and ease of maintenance.

OPTIMAL PROTECTION

The layer of varnish is integrated directly into the finished product, providing additional protection and ensuring that the material looks the same. CleanGuard technology is odourless and contributes to a healthy interior.





THICKNESS

The product maintains its original performance including a total thickness of 4 mm, all layers combined




TRANSPARENCY

CleanGuard technology does not affect the appearance of the product, which retains its attractive design



EASY MAINTENANCE

Much easier maintenance for less regular routine cleaning



DICKSON

WOVEN FLOORING

THE LOOK AND FEEL OF TEXTILE WITH **TOTALLY UNIQUE PROPERTIES**

Woven from revolutionary fibres, Dickson® floor covering options combine the remarkable durability of vinyl with the aesthetic appea and texture of traditional carpeting.


A truly innovative technology developed for the most demanding environments such as hotels, offices, stores and restaurants Dickson flooring is durable, comfortable, attractive, and easy to maintain. This performance is further enhanced by CleanGuard technology: a layer of varnish incorporated into the woven wea surface for added protection and easier cleaning.

VARNISHED WOVEN WEAR SIDE



1. Varnished woven wear side

HIGH-TECH BACKING



- 1. Varnished woven wear side
- 2. Monofilament polyester core
- 3. Very high density foam
- 4. Fibreglass layer
- 5. Acoustic foam





GLOBALLY RECOGNIZED QUALITY

Crown jewel of the technical textile industry, Dickson is now recognized the world over as the benchmark for supreme quality indoor and outdoor French-made fabrics. Its products, marketed under two flagship brands, DICKSON® and SUNBRELLA®, are used by the top names in design, architecture and boating.

The group's main growth engine – innovation – enables Dickson to constantly provide a diverse array of products and a wide range of technical and designer textiles, all aimed at improving people's homes and work environments. The company currently provides solutions for four key markets: solar protection, outdoor living spaces, indoor and outdoor decoration, and boating equipment. A combination of technical expertise and creativity, the Dickson style shines in more than 110 countries on 5 continents.

MADE IN FRANCE



COMFORTABLE & DURABLE

FLOORS PLAY A KEY ROLE IN THE COMFORT OF A ROOM

To ensure optimum convenience and well-being, our R&D team has created ultra-smart flooring solutions using advanced technology: thermal and acoustic insulation, a non-slip surface that's comfortable to walk on...

EXCEPTIONAL ACOUSTIC INSULATIONCAPABILITIES

A leading-edge innovation, the SoundGuard® technology was specifically designed to improve comfort and noise absorption.

Dickson developed a high performance soundproof backing that effectively absorbs ambient noise and significantly reduces the transmission of impact noise.

Acoustic comfort is truly essential to people's well-being and ideal for offices and hotels.









NON-SLIP SURFACE

The woven structure of Dickson® flooring naturally prevents slipping, making it particularly appropriate for public buildings where safety standards often determine the materials decorators can use.




QUALITY THERMAL INSULATION

Good quality thermal insulation can dramatically improve the comfort of a room. Unlike hard flooring, Dickson® flooring offers warmth for greater well-being and energy savings.



ANTISTATIC PROPERTIES

Formulated to minimize static electricity generated from walking on most carpeting, Dickson® flooring solutions provide effective protection against unpleasant shocks.





EASYTO INSTALL & TO MAINTAIN

DICKSON® WOVEN FLOORING IS FAST AND SIMPLE TO INSTALL ON ANY KIND OF SURFACE

Like any other flexible flooring, installation is done by gluing the material directly to any kind of flat, clean, dry, stiff surface. To save time and increase flexibility, you can also install the tiles with a non-permanent glue.

THE FIRST WOVEN VINYL FLOORING ENSURING A CLEAN CUT

The FrayGuard® technology developed by Dickson minimizes the common phenomenon of fraying when cutting carpeting and boosts durability of the weave. It guarantees clean-cut edges for fast, efficient, impeccable installation.








DICKSON WOVEN FLOORING ALLOWS USERS TO ACHIEVE A CLASSIC LOOK OR CREATE ORIGINAL LAYING COMBINATIONS BY MIXING PRODUCTS TO CREATE RHYTHMS, PERSPECTIVES AND REFLECTIONS THAT TRANSFORM INTERIORS DEPENDING ON THE INTENSITY OF THE LIGHT.







STAIN RESISTANT

Dickson® flooring was designed to resist stains by not absorbing liquids and thus making spills quick and easy to clean.



LOW MAINTENANCE

The product takes less time to clean and requires less regular routine maintenance. As with linoleum or tiling, basic cleaning can be done with a vacuum, broom and warm water mixed with a neutral detergent.



SMART TIP


The colour of your flooring directly affects the maintenance requirements. Dirt and stains are less visible on chiné (marbled) shades than solid colours (whether light or dark). Depending on the location and the amount of traffic, this is an important aspect to consider when making your selection.



Although the structure of the weave makes it appear to have a certain relief element, the exclusive assembly process used by Dickson guarantees it is absolutely waterproof, dustproof and stainproof. The warp and weft yarns are heat-sealed together and assembled to the backing while they are still hot and varnished to prevent dirt penetrating the fibers and keep it on the surface.

Dickson® woven flooring ensures optimal quality sanitary conditions. Rotproof, antibacterial, and impervious to dust mites, mould spores and fungus, the impermeable surface is strengthened with an integrated overlayer of varnish to make the hygienic maintenance of floors easier and avoid hard-to-remove stains such as coffee, wine, fruit conserve and blood.







ENVIRONMENTALLY

FRIENDLY

AN ENVIRONMENTALLY FRIENDLY COMPANY

Well aware of the environmental stakes, Dickson launched a major campaign under the banner of its GreenOvation initiative. By optimising its energy management, minimising the use of chemical substances, obtaining ISO 14001 and OHSAS 18001 certification and so forth, Dickson has clearly established its position as an eco-friendly business that cares about curbing its environmental footprint as much as possible.

0% PHTHALATE

To improve the well-being of users, air quality and indoor comfort, the woven upper layer of our Dickson floor coverings has always been phthalate-free.

As we believe quality materials play a vital role in their environment, the challenge presented by this new collection for our R&D department was to successfully produce flooring with 0% phthalate - including the bottom layer - and free from plasticizers.

This commitment to remove controversial substances from our new collection reflects Dickson's innovation approach to the environment and complies with European REACH standards.


FLOORSCORECERTIFICATION



Good indoor air quality is essential because people spend most of their lives indoors. The air we breathe affects both our health and our well-being, from minor disturbances, such as odours, skin and eye irritations, to the development or aggravation of more serious ailments, such as respiratory allergies.

Independently tested and certified by the Resilient Floor Covering Institute (RFCI), Dickson® flooring meets the official emissions criteria for volatile organic components (VOC) and is recognized as contributing to good indoor air quality.











A DESIGNER COLLECTION

Drawing on more than one hundred and eighty years of know-how and internationally renowned expertise, Dickson has developed a collection of woven flooring made using revolutionary fibers. The combination of warp and weft yarns on the wear side allows users to create different looks and color nuances for varying perspectives depending on the intensity of the light.

Thanks to a range of available shapes and a palette of unique colors, it has never been easier to create your own style and make your flooring the cornerstone of your decorative scheme in which the floor is the canvas on which you express your creativity and the flooring is a work of art.

INSPIRED BY NATURE

MIRAGE WOVEN FLOORING BY DICKSON

The texture of Mirage is inspired by the sisal effect. The raw, lively, irregular surface relief varies from profound and powerful to lighter effects. This intense range has a color palette enlivened by a smattering of light and luminous hues that bring out its darker tones to full effect.










200 cm 78,74" ◀





Pattern repeat: W 160 cm / 62.99" x H 250 cm / 98.42"




CHAMPAGNE BEIGE 🔲 MIRA J527 D50

MIRA J527 200


■ MIRA J550 D50 MIRA J550 200











ALLURE WOVEN FLOORING BY DICKSON

Allure has a delightfully colorful, grained texture. The grain is mostly dark, creating an interplay with the colorful base. The delicate tones subtly bring the surface to life. A few deeper touches accentuate the softness of this range with its fresh hues.










200 cm 78,74" ◀





Pattern repeat: W 49.38 cm / 19.44" x H 57.41 cm / 22.60"



■ ALLU J514 D50 ALLU J514 200

SNOW SHADOW

ALLU J517 D50 ALLU J517 200





CELADON GREEN ALLU J539 D50
ALLU J539 200



CUMBERLAND BEIGE ALLU J518 D50

ALLU J518 200





ORKNEY TAUPE ALLU J540 D50
ALLU J540 200



CALDERA ROSE ALLU J542 D50

ALLU J542 200



CERAMIC GREY

ALLU J516 D50
ALLU J516 200

ÉCUME WOVEN FLOORING BY DICKSON

Like froth or fluffy clouds blending harmoniously with another surface of nuanced shades, Écume has an elegant, contemporary pattern. Available in a range of deep, natural colors, its texture adapts to any room design.






50 x 50 cm 19,69" x 19,69" ¹




200 cm 78,74" ◀





Pattern repeat: W 80 cm / 31.5" x H 78 cm / 30.71"



■ ECUM J546 D50 ECUM J546 200

KOPI BRONZE

■ ECUM J520 D50 ECUM J520 200

DIAMOND BLUE

ECUM J543 D50
ECUM J543 200

ECUM J521 D50
ECUM J521 200

ECUM J544 D50
ECUM J544 200





ÉLÉGANCE WOVEN FLOORING BY DICKSON

Élégance is a timeless basic with a soothing and discretely semi-plain texture that works in any environment. It is available in a neutral or subtly colorful palette that accents its timeless dimension. Élégance is a new generation of redesigned plains.





50 x 50 cm 19,69" x 19,69"



200 cm 78,74" ◀





Pattern repeat: W 158 cm / 62.20" x H 250 cm / 98.42"




ARDEN GREEN

■ ELEG J530 D50 ELEG J530 200

SMOKE

■ ELEG J531 D50 ELEG J531 200



■ ELEG J533 D50● ELEG J533 200

ISLAY BLUE



PACIFICA BLUE

ELEG J552 D50
ELEG J552 200



PEARL BROWN

ELEG J553 D50
ELEG J553 200



ALMOND GREE

ELEG J551 D50
ELEG J551 200

ELEG J532 D50
ELEG J532 200

STONE

EMPREINTE

WOVEN FLOORING BY DICKSON

A harmonious weave with a resolutely modern motif for settings filled with emotion and bold, distinctive designs. This timeless range of classic neutrals comes in nuances of gray with deep and delicate hues.






50 x 50 cm 19,69" x 19,69"




≥ 200 cm 78,74" ◆






Pattern repeat: W 54.12 cm / 21.31' x H 90.67 cm / 35.70"





PENNINE GREY

EMPR J510 D50EMPR J510 200



TUNGSTEN SILVE

■ EMPR J509 D50● EMPR J509 200



TITANIUM SILVER

■ EMPR J537 D50● EMPR J537 200

SELENE BRONZE

■ EMPR J536 D50■ EMPR J536 200

COSMOS WOVEN FLOORING BY DICKSON

Organic, astral and aquatic, the texture of Cosmos, scattered with lively shapes, moves in one direction, then another, to create a gentle, slightly wavy rhythm. Available in a basic range of naturally stylish neutral tones, this line produces a pleasant, delicate effect. This lively motif is a vision of perpetual motion.





50 x 50 cm 19,69" x 19,69"



200 cm 78,74" ◆





Pattern repeat: W 234 cm / 92.13' x H 379 cm / 149.21"





COSM J513 200




■ COSM J538 D50 COSM J538 200



MARRON BLACK

■ COSM J512 D50 COSM J512 200







Mirage J548 Dusty Green & J522 Nimbus Beige

Écume J543 Vertigo Blue & J544 Diamond Blue

Our Dickson flooring is composed of PVC-coated woven polyester monofilaments joined to a technically advanced soundproofing underlayer by heat setting and coating. Heat action, central to our production process, fuses each element of our product together for advanced wear resistance and perfect dimensional stability. A subtle amalgam of polymers is discernable on the wear side, but does not alter the quality of our product.

The woven structure also gives added character to the flooring surface and naturally plays with the light. The shape, color and layout give your flooring depth and subtle nuances of color depending on your perspective and the intensity of the light.



www.dicksonflooringproject.com

Each room raises new challenges. That's why our

CONFIGURATOR ALLOWS UNPRECEDENTED SCOPE FOR TESTING AND MODULATING FLOOR SURFACES

From offices to hotels to homes, each space is unique, and so are your design choices. Now available to order in multiple shapes, Dickson Woven Flooring offers countless layout possibilities. Free yourself from standard layouts or complement them by mixing references and shapes to create rhythm, perspectives and reflections to transform interiors.

Allow your imagination free rein by playing with lighting, textures and reflections. With our ranges and their palette of unique colours to choose from, create your own rules and transform your flooring into a design feature.

Your floor becomes

A FORM OF CREATIVITY, FLOORING AN ART FORM.









— EMPREINTE

WOVENELOOBY DICKSON

— ÉCUME

— ÉLÉGANCE





— ALLURE











- MIRAGE

see general warranty conditions at www.dickson-constant.com

WOVENFLOORING

TECHNICAL INFORMATION







		STANDARD	ALLURE, COSMOS, ECUME, ELEGANCE, EMPREINTE, MIRAGE
	Use classification	EN ISO 10874	33 Heavy Commercial
		ASTM D 5252	5/5
	Fire classification	EN 13501-4	Cfl s1
		ASTM E 648	1st Class
		ASTM D2859	Methamine Pill Test - CSPC FF1-70: pass
	Optical smoke density	ASTM E 662	< 450
	Soundproofing	ISO 10140-3	18 dB
		ASTM E 492	IIC 59
>>	Sound absorption coefficient aw	EN ISO 354	0,05
$\overline{\mathbb{S}}$	Roll width	EN 426	200 cm / 78,74"
♂	Roll length	EN ISO 24341	25 m / 9,84"
	Tile packaging and size	EN 994	50 x 50 cm - 19,69 x 19,69" Box of 16 tiles (4 sq.m. / 43,06 sq ft)
	Thickness*	ISO 1765	4 mm / 0,157"
2	Weight	ISO 8543	3,55 kg/m² / 84,24 lb/ft²
	Natural distortion**		Maximum 2%
6	Castor chair	EN 985-A	Intensive use
73	Body voltage	ISO 6356	< 2 kv
	Residual indentation	EN ISO 24343-1	< 0,2 mm / < 0,08"
		ASTM F 914	0,18 mm / 0,007"
	Static load	ASTM F970	Conform 250 Psi
	Compression recovery		95%
≥ફ	Fraying	EN 1815	Frayproof
	Thermal resistance	ISO 8302	Suitable for underfloor heating
KN	Dimensional stability	ISO 2551	< 0,1%
*	Colour fastness to light	ISO 105 B02	8/8
		AATCC 16 E	5/5
	Colour fastness to weather	ISO 105 B04	5/5
প্তি	Slip resistance dry (dynamic coefficient of friction)	EN 13893	μ > 0,3
		ASTM C 1028	0,81
	Slip resistance wet (ramp test with oil)	DIN 51130	R9
DS	Only resistance wer (ramp test with on)	ASTM C 1028	0,61
C€	CE Certification	EN 14 041	0493-CPD-0101
	Floorscore Certification (rolls + tiles)	SCS-EC10.2-2007	SCS - FS - 02719
	LEED®		earn points within the framework of Leed version 4 and meet the requirements rding indoor environmental quality: low-emitting materials

According to EN 1307 standard

natural phenomenon can alter the final aesthetic result beyond a certain limit, Dickson has set a tolerance for all of its woven flooring lines. Weft deformation: Dickson Flooring tolerance limit = 2%. Visual aspect: our Dickson flooring is composed of a weave of PVC-coated polyester monofilaments combined with an acoustic and technical undercoat by heat-setting and coating. The action of heat, at the heart of our production process, allows the different elements of our products to melt together, thus ensuring their resistance to wear and tear and perfect dimensional stability. Thus, the discrete amalgam of polymers can be detected on the wear side without altering the quality of our products in any way. In addition, the woven structure adds character to the look of your flooring and naturally plays with the light. Varying with the shape, colour and layout pattern, the deep and subtle hues of your flooring change according to the lighting and perspective.













^{*} All our ranges can be combined together for your projects. A slight difference in thickness, due to the different structures of the woven side, is possible and cannot exceed 0.6 mm.

** Dickson flooring is a textile product, composed on the surface of warp threads aligned and associated with weft threads, by the weaving technique. The perfect perpendicularity of the warp and weft threads does not exist. Therefore, woven vinyl floors will always present natural warp and/or weft deformations that will accentuate the authentic appearance of the weave. Recognizing that this



VOVEN**FLOORING**

www.dickson-constant.com www.dicksonflooringproject.com

